# FULL HOUSE<sup>™</sup> S44F Supplement

Last Updated: August 14, 2013

## MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: Lambert Spawn Company ADDRESS: 1507 Valley Road CITY, STATE, ZIP CODE: Coatesville, PA 19320 - U.S.A. **TELEPHONE NUMBER:** 610-384-5031 **EMERGENCY TELEPHONE NUMBER:** Contact Regional Poison Control

#### **IDENTITY INFORMATION**

**TRADE NAME:** FULL HOUSE S44F Supplement CHEMICAL NAME: N/A MOLECULAR FORMULA: N/A

CHEMICAL FAMILY: N/A SYNONYMS: N/A C.A.S. REGISTRY NUMBER(S): N/A

OSHA PEL: 2 ppm STEL

HAZARDOUS INGREDIENTS		
MATERIALS OR COMPONENTS	CASRN	HAZARD DATA
1. Roasted Cracked Soybean	N/A	Not hazardous
2. Formaldehyde	50-00-0	ACGIH TLV: 0.3 ppm TWA
		OSHA PEL: 0.75 ppm TWA

# PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT: N/E VAPOR PRESSURE (mm Hg): N/E VAPOR DENSITY (AIR = 1): 1.08 (Formaldehyde) SOLUBILITY IN WATER: N/E APPEARANCE AND ODOR: 1/4 Cracked Soybeans SPECIFIC GRAVITY: N/E MELTING POINT: N/E **EVAPORATION RATE: N/E** MOLECULAR WEIGHT: N/E

# SHIPPING INFORMATION

D.O.T. SHIPPING NAME: Non-regulated HAZARD CLASS: Non-regulated I.D. NUMBER: N/A

FREIGHT CLASS: Chemicals NOIBN IMDG CODE PAGE: N/A

#### FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: N/E EXTINGUISHING MEDIA: Carbon Dioxide, dry chemical, foam, water spray or mist SPECIAL FIRE FIGHTING PROCEDURES: None **UNUSUAL FIRE & EXPLOSION HAZARDS: None** 

#### **REACTIVITY DATA**

**STABILITY: Stable** CONDITIONS LEADING TO INSTABILITY: N/E CONDITIONS TO AVOID: Flames, sparks, and ignition sources. HAZARDOUS POLYMERIZATION: Will not occur. **INCOMPATIBILITY: N/E** 



# FULL HOUSE<sup>™</sup> S44F Supplement

Last Updated: August 14, 2013

# HEALTH HAZARD DATA

## EFFECTS OF EXPOSURE

**IRRITATION:** Skin - moderate, Eye - moderate **SKIN ABSORPTION:** N/E

CORROSIVITY: Skin - N/E, Eye - N/E INGESTION: N/E

**INHALATION EFFECTS:** Formaldehyde vapor may be harmful without adequate ventilation and may cause irritation of the nose, throat and lungs. Can cause Central Nervous System depression. Pre-existing respiratory disorders may be aggrevated if exposed to formaldehyde vapor.

# HEALTH HAZARDS (ACUTE AND CHRONIC)

- 1. Roasted Cracked Soybean: Edible material; not hazardous
- 2. Formaldehyde: Potential carcinogen

# **RISKS FROM EXPOSURE (CHRONIC)**

Formaldehyde: Exposure may occur without proper ventilation. Based on animal data and epidemiological evidence, formaldehyde has been listed as a probable human carcinogen (Federal OSHA, NTP and IARC). Not considered carcinogenic to humans when used under OSHA-approved exposure level.

#### SIGNS AND SYMPTOMS OF EXPOSURE

May cause eye or skin irritation.

#### EMERGENCY FIRST AID

**INGESTION:** Do not induce vomiting. Get medical attention.

**SKIN:** Wash with soap and water; remove contaminated clothing. If irritation persists, consult a physician. **EYES:** Immediately flush with plenty of water. If irritation persists, consult a physician.

**INHALATION:** Not expected to be harmful under normal conditions of use. If affected, remove to fresh air. If not breathing give CPR and call 911.

# CONTROL MEASURES

**RESPIRATORY PROTECTION:** Where formaldehyde concentrations can exceed acceptable criteria, use NIOSH/MSHA-approved full respiratory protection equipment. Respirators should be selected and fit according to OSHA 29 CFR Part 1910.1048.

**VENTILATION:** Product should only be used with adequate ventilation to comply with OSHA 29 CFR Part 1910.1048 (OSHA PEL and Action Levels).

EYE PROTECTION: Do not get in eyes. Wear safety glasses with side shields.

SKIN CONTACT: Avoid prolonged contact with skin.

**WORK/HYGIENIC PRACTICES:** Industrial hygiene and safety practices recommended. These include avoiding necessary exposure and removal of the product from eyes, skin, and clothing. Wash hands and arms thoroughly with soap and water after handling and before eating. Do not eat, smoke, or drink in the work area. **OTHER HANDLING REQUIREMENTS:** Store in a cool, dry area.

# PRECAUTIONS FOR SAFE HANDLING AND USE

**IF MATERIAL IS SPILLED, OR WHEN OPENING BAG:** Avoid breathing dust and vapors. If ventilation is inadequate, proper respiratory protection equipment should be used.

WASTE DISPOSAL METHOD: Dispose in accordance with federal, state and local regulations.

HANDLING AND STORAGE: Store in a well-ventilated, cool, dry, and secure area away from animals and children. Do not store food, beverages, or tobacco products in storage area. Wash thoroughly with soap and water after handling.



# FULL HOUSE<sup>™</sup> S44F Supplement

Last Updated: August 14, 2013

#### **REGULATORY INFORMATION**

#### SARA TITLE III SECTION 313 SUPPLIER NOTIFICATION

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372):

CHEMICAL NAME: Formaldehyde CAS NUMBER: 50-00-0 PERCENT BY WEIGHT: 0.2%

#### STATE REGULATIONS

Listed in accordance with Pennsylvania Worker and Community Right-To-Know Act of 1984-159:

CHEMICAL NAME: Formaldehyde

CAS NUMBER: 50-00-0

This information must be included in all MSDS' that are copied and distributed for this material.

California Proposition 65 Code: C California Hazardous Substance List Source: 1, 2, 3 Delaware Air Quality Management List: DRQ - 100, RQ State - Federal Regulations Apply Idaho Air Pollutant List: Title 586, AAAC - 7.7E-02, EL - 5/1E-04, OEF - 1.3E-05 Illinois Toxic Air Contaminants List: Category B1, Comments - Indicates presence on HAP list Maine Hazardous Air Polltants: Me 2005 - HAP, Hap Rpt - 1000 Massachusetts Hazardous Substance Codes: 1, 2, 3, 4, 5, 6, 7\*E\*C\*F6 Minnesota Haz Substance Codes: ANORT, Ratings - 10.91, Status - Air Pollutant. Carcinogen - Title III. TRI New Jersey Extraordinarily Hazardous Substances: Threshold - 175, Group - II, Table - I Part A New Jersey RTK Hazardous Substance: DOT - 1198, Sub No - 0946, EHS - Yes New York List of Hazardous Substances: RQ Air - 100, RQ Land - 1 North Carolina Toxic Air Pollutant List: Acute Irritant 0.15 Pennsylvania Hazardous Substance Code: ES Washington Air Contaminant: TWA (ppm) 0.75, STEL (ppm) 2 West Virginia Toxic Air Pollutant List (pounds per year): 1,000 Wisconsin Hazardous Air Contaminant List (Appears on Table): A

The above information is accurate to the best of our knowledge, and is based on the reported characteristics of product ingredients. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use are beyond our control, Lambert Spawn Company makes no warranty, either express or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. The user should be satisfied that they have all current data relevant to their particular use.

